

White paper
October 2010

The Sony Ericsson Elm™ phone J10, J10i2



Purpose of this document

Sony Ericsson product White papers are intended to give an overview of a product and provide details in relevant areas of technology.

Document history

Version

December 2009	First released version	Version 1
June 2010	Second released version	Revision 1
October 2010	Third released version	Revision 2

Sony Ericsson Developer World

For the latest Sony Ericsson technical documentation and development tools, go to www.sonyericsson.com/developer

This White paper is published by:

Sony Ericsson Mobile Communications AB,
SE-221 88 Lund, Sweden

www.sonyericsson.com/

© Sony Ericsson Mobile Communications AB, 2008-2009. All rights reserved. You are hereby granted a license to download and/or print a copy of this document. Any rights not expressly granted herein are reserved.

Third version (October 2010)
Publication number: 1234-2950

This document is published by Sony Ericsson Mobile Communications AB, without any warranty*. Improvements and changes to this text necessitated by typographical errors, inaccuracies of current information or improvements to programs and/or equipment, may be made by Sony Ericsson Mobile Communications AB at any time and without notice. Such changes will, however, be incorporated into new editions of this document. Printed versions are to be regarded as temporary reference copies only. Some features profiled in this White Paper may not be supported in all countries or regions.

*All implied warranties, including without limitation the implied warranties of merchantability or fitness for a particular purpose, are excluded. In no event shall Sony Ericsson or its licensors be liable for incidental or consequential damages of any nature, including but not limited to lost profits or commercial loss, arising out of the use of the information in this document.

Table of contents

Product overview	4
The Sony Ericsson Elm™ phone – Smile for a while	4
Facts – dimensions, weight, performance and networks	5
Full feature list – categorised list of features	7
Technologies in detail	9
Device-to-device communications (local)	9
Bluetooth™ wireless technology	9
DLNA (Digital Living Home Alliance)	10
Java™	11
Messaging	12
Positioning – location based services	13
Provisioning (OMA CP, OMA DM)	13
Synchronisation (OMA DS, EAS)	13
Multimedia (audio and video)	14
Web browser	15
Trademarks and acknowledgements	16

Product overview

The Sony Ericsson Elm™ phone – Smile for a while

Play back the love scene. Enjoy some pop classics. Close your eyes and sink into your favourite book. On the platform. On the train. On your way home. Use the Sony Ericsson Elm™ phone to juggle your day, and balance your life. And make room for a little fun.

More voice, less noise

Hate taking calls in noisy surroundings? The Sony Ericsson Elm™ phone filters out the sounds around you, so your friends hear you and not the crowd. And you can pull that finger out of your ear. Clear voice and Intelligent volume adaptation treat you to the best possible sound.

Stop by Facebook™ on your way home

A honeymoon in Rome. A pool party for the kids. Post your happy snaps on Facebook™. Or share the laughs on MySpace™. And check on your friends while you're there. Want the latest news? Catch up on Twitter™. Do it all with ease straight from the home screen of the Sony Ericsson Elm™ phone, thanks to the widget manager.

Think inside the inbox

Work doesn't always stay at the office, does it? Write emails and plan your day directly on the Sony Ericsson Elm™ phone. From the back of a car, a coffee bar or your favourite bazaar. And remember to synch the calendar with your PC to avoid embarrassing double bookings. Rain coming up? No worries. The Sony Ericsson Elm™ phone is splash proof.



Facts – dimensions, weight, performance and networks







Size	110 x 45 x 14 mm
Weight	90 grams
Available colours	Metal Black Pearly Rose
Main screen	
Colours	262,144 color TFT
Resolution	240x320 pixels
Size (diagonal)	2.2 inches
Scratch-resistant	Yes
Memory	
Phone memory	Up to 280 MB
Memory card support	SanDisk microSD™, up to 16 GB
Networks	
J10 (Without A-GPS, Wi-Fi™. With video call camera on display side.)	UMTS HSPA 2100 (Band I) GSM GPRS/EDGE 850, 900, 1800, 1900
J10i2 (With A-GPS, Wi-Fi™. Without video call camera on display side.)	UMTS HSPA 900 (Band VIII), 2100 (Band I) GSM GPRS/EDGE 850, 900, 1800, 1900
Data transfer speeds	
GSM GPRS (Class 10 CS4)	Up to 80 kbps (download). Up to 40 kbps (upload)
GSM EDGE (Class 10 MCS9)	Up to 247 kbps (download). Up to 123 kbps (upload)
UMTS HSPA (cat. 5 upload)	Up to 1.8 Mbps
UMTS HSPA (cat. 8 download)	Up to 7.2 Mbps




Talk time (GSM)	4 hours 30 min*
Standby time (GSM)	336 hours*
Talk time (UMTS)	3 hours 40 min*
Standby time (UMTS)	424 hours*

* According to GSM Association Battery Life Measurement Technique.

Note: Battery performance may vary depending on network conditions and configuration, and phone usage.

Full feature list – categorised list of features

 <p>Camera</p> <ul style="list-style-type: none"> 5 megapixel camera 4x digital zoom Auto focus Face detection Geo tagging Photo feeds Photo fix Photo flash (LED) Send to web Picture blogging Smile detection Video blogging Video light Video recording 	 <p>Music</p> <ul style="list-style-type: none"> Album art Bluetooth™ stereo (A2DP) Media player MEGA BASS™ Music tones (MP3/AAC) PlayNow™* SensMe™ TrackID™ 	 <p>Web</p> <ul style="list-style-type: none"> Access NetFront™ Web browser Bookmarks Mouse pointer Google™ search Pan & zoom Web feeds Web search (from standby) HTML 4.01 XHTML 1.1
 <p>Communication</p> <ul style="list-style-type: none"> Call list Conference calls Clear voice HD Voice ready* Intelligent volume adaptation Noise shield Polyphonic ringtones Speakerphone Vibrating alert Video calling <p><i>*Designed to support AMR-WB technology during the product lifecycle.</i></p>	 <p>Messaging</p> <ul style="list-style-type: none"> Conversations Email Microsoft® Exchange Active-Sync® Instant messaging Picture messaging (MMS) Predictive text input Sound recorder Text messaging (SMS) Unified messaging 	 <p>Design</p> <ul style="list-style-type: none"> Activity menu key Auto rotate Light Media browser Navigation key Picture wallpaper Splash resistance Wallpaper animation

 <p>Entertainment</p> <ul style="list-style-type: none"> 3D games Facebook™ FM radio with RDS Java™ MySpace™ Tracker Twitter™ Video streaming Video viewing Walk mate Eco Widget Manager YouTube™ 	 <p>Organiser</p> <ul style="list-style-type: none"> Alarm clock Calculator Calendar Flight mode Notes Phone book Stopwatch Tasks Timer 	 <p>Connectivity</p> <ul style="list-style-type: none"> A-GPS (J10i2) Bluetooth™ technology DLNA Certified™ Google Maps™ Modem PictBridge™ Synchronisation USB mass storage USB support Wi-Fi™ (J10i2) Wisepilot™ turn-by-turn navigation*
---	--	---

**This service is not available in all markets.*

Technologies in detail

NOTE: The information outlined below is general and levels of compliance to standards and specifications may vary between products and markets. For more information, contact Sony Ericsson Developers World or your Sony Ericsson contact person where applicable.

Device-to-device communications (local)

Bluetooth™ wireless technology

Bluetooth™ profiles supported	Advanced Audio Distribution Profile Audio/Video Remote Control Profile Basic Imaging Profile Dial-up Networking Profile File Transfer Profile Generic Access Profile Generic Object Exchange Profile Handsfree Profile Headset Profile Object Push Profile Personal Area Networking Profile Phonebook Access Profile Serial Port Profile Synchronisation Profile SyncML™ OBEX binding
Core version and supported features	2.1+EDR
Connectable devices	Interoperability and compatibility among Bluetooth™ devices varies. The device generally supports products utilising Bluetooth™ spec. 1.1, or higher, and at least one of the profiles above.

More information:

www.sonyericsson.com/developer

www.bluetooth.com

DLNA (Digital Living Home Alliance)

DLNA is a term used to describe an inter-device media transfer technology. Designed to allow an array of devices in the home to communicate and share content and experiences. DLNA devices can include Hi-Fi equipment, TVs and PCs.

Supported Device Classes	<p>DMS – Digital Media Server Media Types: Music, Images, Video Summary: The digital media server exposes the media files in your phone to a Wi-Fi network. The media can then be accessed from a DLNA client such as a PS3 or even another phone.</p> <p>DMP – Digital Media Player Media Types: Music Summary: The digital media player lets you access music that is stored on a DLNA DMS (digital media server) and play it in your phone.</p> <p>DMC – Digital Media Controller Push Controller for Images, Music Summary: The push controller lets you stream local content in the phone to a compatible rendering device such as a BRAVIA™ TV, or a compatible stereo system.</p> <p>Media Home and Media Go™ Media Types: Music, Images, Video Summary: The Media Home application in your phone lets you transfer media files from Media Go™ on your computer. Media Go™ lets you organise, transfer, play and sync your media files.</p>
Supported Bearers	Wi-Fi™
DRM Support	The Sony Ericsson DLNA implementation does not support DRM protected content.

Java™

Java™ Platform, Micro Edition	JSR-75 PDA Optional Packages for J2ME™ JSR-82 Bluetooth™ Wireless Technology API JSR-118 MIDP 2.0 JSR-118 MIDP 2.1 JSR-120 Wireless Messaging API JSR-135 Mobile Media API 1.1 JSR-139 CLDC 1.1 JSR-172 J2ME™ Web Services Specification JSR-177 Security and Trust Services API for J2ME™ JSR-179 Location API JSR-180 SIP API for J2ME™ JSR-184 Mobile 3D Graphics API for J2ME™ JSR 185 Java™ Technology for the Wireless Industry JSR-205 Wireless Messaging API 2.0 JSR-211 Content Handler API JSR-226 SVG API for J2ME™ JSR-229 Payment API JSR-234 Advanced Multimedia Supplements JSR-238 Mobile Internationalization API JSR-239 OpenGL® ES JSR-248 Mobile Services Architecture JSR-256 Mobile Sensor API (Accelerometer) Nokia UI Extension API
Java 3D	MascotCapsule® Micro3D Version 3 JSR-239 OpenGL® ES JSR-184 Mobile 3D Graphics API for J2ME™

Messaging

(MMS) Multimedia Messaging Service

According to OMA Multimedia Messaging Service v1.2 + SMIL

Email

Bearer type (IP)	GSM Data (IP) GPRS and HSCSD
Character sets	USASCII UTF-7 UTF-8 UTF-16 UTF-17LE UTF-16BE UCS-2 / ISO10646 UCS2 ISO-8859-1 ISO-8859-2 Eastern Europe ISO-8859-5 Cyrillic ISO-8859-7 Greek ISO-8859-9 Turkish ISO-8859-10 Nordic ISO-8859-11 Thai ISO-8859-15 Western MR5 KOI8 GB18030 Simplified Chinese GB2312 Simplified Chinese BIG5 ISO2022JP Windows® 1251 Cyrillic Windows® 1252 Windows® 1254 Turkish Windows® 1255 Hebrew Windows® 1258 Vietnamese Shift JIS Note: GB2312 is only available in Simplified Chinese variants only, that is, Mainland China variants. BIG5 is only available in Traditional Chinese variants, that is, Hong Kong and Taiwan variants.
OTA provisioning solution	OMA Client Provisioning 1.1
Protocols	POP3, SMTP and IMAP4
Push email	IMAP IDLE (extension of IMAP4 Rev1), OMA Email Notification 1.0 and scheduled checking, Microsoft® Exchange ActivSync® (EAS)
Secure email	SSL/TLS, both port methods (POPS/IMAPS) and START-TLS
HTML mail	Yes

More information: www.sonyericsson.com/developer, www.openmobilealliance.org

Positioning – location based services

Supported standards:

JSR-179 (Location API 1.0)

OMA Secure User Plane Location (SUPL) v1.0

3GPP Control Plane location (incl. Emergency location)

Nokia Landmark Exchange format (LMX) - for sharing locations using MMS

Provisioning (OMA CP, OMA DM)

OMA CP version 1.1

OMA DM version 1.2

Related information:

www.sonyericsson.com/developer

Synchronisation (OMA DS, EAS)

OMA Data Synchronisation protocol versions 1.1.2 and 1.2

OMA Data Formats: vCard 2.1, vCalendar 1.0, vBookmark 1.0, notes as text/plain

Microsoft® Exchange ActiveSync® protocol version 2.5

Related information

www.sonyericsson.com/developer

Multimedia (audio and video)

Audio Playback	Decoder format Audio decoding MPEG-1/2/2.5, audio layer 3 AAC, AAC+, eAAC+ AMR-NB AMR-WB AMR-WB+ WMA versions 2, 7, 8: Class 1 WMA version 9: Level 3 WMA Pro (profile M0a) General MIDI (GM) GML SP-MIDI DLS (Mobile DLS supported) Linear/A-law/-law PCM iMelody	Supported in file format MP3 (.mp3) 3GP (.3gp); AAC (.aac); MP4 (.mp4, .m4a) 3GP (.3gp); AMR (.amr) 3GP (.3gp); AMR (.amr) ; AMR-WB (.awb) 3GP (.3gp); AMR (.amr) ; AMR-WB (.awb) WMA (.wma) WMA (.wma) WMA (.wma) SMF (.mid) SMF (.mid) SMF(.mid); XMF (.xmf, .mxmf) XMF (.xmf) WAV (.wav) iMelody (.imy)
Audio Recording	Encoder format AMR-NB AAC-LC	Supported in file format AMR (.amr) MP4 (.m4a)
Video Playback	Decoder format MPEG-4 Visual Simple Profile H.264 Baseline Profile H.263 Profile 0 VC-1 (WMV9)	Supported in file format 3GP (.3gp); MP4 (.mp4) 3GP (.3gp); MP4 (.mp4) 3GP (.3gp) ASF (.asf, .wmv)
Video Recording	Encoder format - Video: H.263 Profile 0 - Audio: AMR-NB - Video: MPEG-4 Visual Simple Profile - Audio: AAC-LC	Supported in file format 3GP (.3gp) MP4 (.mp4)
Audio/Video Streaming	Streaming transport	RTSP according to 3GPP™
DRM	DRM (Digital Rights Management) features the rights and copy protection of downloaded content.	OMA DRM 1.0, 2.0, 2.1 Microsoft® DRM Janus

Web browser

Browser version	Access NetFront™ 3.5
Bookmarks	Folders and sorting supported
Bookmark export/import	Bookmarks can be sent and received using vBookmark format using Bluetooth™ technology, SMS, MMS and email
Navigation/rendering	Pan & Zoom (page overview model) Landscape/portrait rendering Full page PC rendering
Search	Internet Search Find on page
Browser compliancy	HTML 5.0 Canvas HTML version. 4.01 XHTML Basic version 1.0 XHTML version 1.1 XHTML Mobile Profile version 1.1 WML 1.3 CSS 2.1 WCSS Version 26-Oct-2001 ECMA-script 262 3rd edition ECMAScript Mobile Profile 1.0 HTTPXMLRequest AJAX DOM 2.0 SVG Tiny, version 1.2
Browser plugin	SVG-T Adobe™ Flash Lite™ Audio/Video
Web feeds	Feeds detection in Browser Feeds reader Podcasting
Web albums	Publish to Picasa™ site Publish to a social site Publish to a Blogger™ page Publish to a Flickr™ page
Protocol Compliancy	HTTP/1.1 TLS 1.0 and SSL 3.0 OMA Download 1.0 RSS 2.0

Related information: www.access-company.com/products/mobile_solutions

Trademarks and acknowledgements

The Liquid Identity and Liquid Energy logos, PlayNow, TrackID, Media Go and SensMe are trademarks or registered trademarks of Sony Ericsson Mobile Communications AB. Sony, "make.believe", and MEGA BASS are trademarks or registered trademarks of Sony Corporation. Ericsson is a trademark of Telefonaktiebolaget LM Ericsson.

NetFront is a trademark or a registered trademark of ACCESS Co., Ltd. PictBridge is a trademark or registered trademark of Canon Kabushiki Kaisha Corporation. TrackID™ is powered by Gracenote™ Mobile MusicID™. Gracenote and Mobile MusicID are trademarks or registered trademarks of Gracenote, Inc. Bluetooth is a trademark or registered trademark of Bluetooth SIG Inc. and any use of such mark by Sony Ericsson is under license.

Google, Google Maps, YouTube, Picasa and Blogger are trademarks or registered trademarks of Google, Inc. Flickr is a trademark or registered trademark of Yahoo! Inc.

Wi-Fi is a trademark or registered trademark of the Wi-Fi Alliance. MicroSD is a trademark or registered trademark of SanDisk Corporation. Adobe Flash Lite is a trademark or registered trademark of Adobe Systems Incorporated in the United States and/or other countries.

Microsoft, Windows, Vista and ActiveSync are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

3GPP is a trademark or a registered trademark of ETSI. SyncML is a trademark or registered trademark of Open Mobile Alliance Ltd. Java and all Java-based trademarks and logos are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries.

End-user license agreement for Sun Java™ J2ME™:

1. Restrictions: Software is confidential copyrighted information of Sun and title to all copies is retained by Sun and/or its licensors. Customer shall not modify, decompile, disassemble, decrypt, extract, or otherwise reverse engineer Software. Software may not be leased, assigned, or sublicensed, in whole or in part.
2. Export Regulations: Software including technical data, is subject to U.S. export control laws, including the U.S. Export Administration Act and its associated regulations, and may be subject to export or import regulations in other countries. Customer agrees to comply strictly with all such regulations and acknowledges that it has the responsibility to obtain licenses to export, re-export, or import Software. Software may not be downloaded, or otherwise exported or re-exported (i) into, or to a national or resident of, Cuba, Iraq, Iran, North Korea, Libya, Sudan, Syria (as such listing may be revised from time to time) or any country to which the U.S. has embargoed goods; or (ii) to anyone on the U.S. Treasury Department's list of Specially Designated Nations or the U.S. Commerce Department's Table of Denial Orders.
3. Restricted Rights: Use, duplication or disclosure by the United States government is subject to the restrictions as set forth in the Rights in Technical Data and Computer Software Clauses in DFARS 252.227-7013(c) (1) and FAR 52.227-19(c) (2) as applicable.

Wisepilot is a trademark of Appello Systems AB and its products are the property of Appello Systems AB and are protected against unauthorised use by trademark laws. Facebook is a trademark or registered trademark of Facebook, Inc. Twitter is a trademark or a registered trademark of Twitter, Inc. MascotCapsule is a registered trademark of HI CORPORATION in Japan.

All other trademarks and copyrights are the property of their respective owners.